

# frozen table structure

design Matteo Ragni +  
Maurizio Prina




## STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene  
colore base/basic colour



6310



## GROSS WEIGHT:

kg 8,7

## ACCESSORIES:

**A4461**


Sistema di fissaggio a  
terra/Fixing kit system

**A4601**


Kit sabbia essiccata/  
Dried sand kit

# frozen table structure light

design Matteo Ragni +  
Maurizio Prina



**STRUTTURA/STRUCTURE** PE - Polietilene/Polyethylene  
colore base/basic colour



8310



98

**KIT LUCE/LIGHT KIT**

**GROSS WEIGHT:**

kg 8,7

**A4744** kit LED RGB a batteria per interni/esterni bluetooth  
bluetooth RGB LED light kit with battery indoor/outdoor

**DETAILS:**

Necessita di 1 Kit Luce/  
Needs 1 Light Kit

# frozen table structure top

## DETAILS:

Necessita di due  
strutture per il piano/  
Needs two structures for  
the top  
A4626  
A4471

## PIANO/TOP

.....



60



70



70



120



180

## HPL

colore base/basic colour

.....



A4463



A4464



A4490



A4491



A4488



A4489



A4626



A4471

## DIMENSIONS:

.....

Cm 59x1 h

Cm 59x1 h

Cm 69x1 h

Cm 69x1 h

Cm 69x69x1 h

Cm 69x69x1 h

Cm 120x60x1 h

Cm 180x59x1,2 h

## GROSS WEIGHT:

.....

Kg 4,9

Kg 4,6

Kg 6,2

Kg 6

Kg 7,8

Kg 7,4

Kg 12,4

Kg 18,7

## TESTS (ART. 6310)

.....

Declaration of conformity issued by



with the 180x60 cm top

Conforms to the requirements of resistance,  
durability and safety, 2<sup>nd</sup> level EN 15372:2016

Tests carried out as per:

- EN 15372:2016, clause 6
- EN 15372:2016, clause 5.1 - 5.2
- EN 1730:2012, clause 6.2
- EN 1730:2012, clause 6.3
- EN 1730:2012, clause 6.4.2
- EN 1730:2012, clause 6.5
- EN 1730:2012, clause 6.6
- EN 1730:2012, clause 7.2

**Attention** to ensure stability under a vertical  
pressure, the part must be stabilized according  
to point 7.2 of EN 1730:2012.

To do this, inert material (es. dried sand)  
must be poured into the hole at the bottom of  
the base. The amount of the material will vary  
according to the article:

- art. A4626 120x60 cm - kg 24
- art. A4471 180x60 cm - kg 24

Finally, close the hole by screwing the threaded  
cap back on.