

fura table structure


design Form Us With Love



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour

6295



GROSS WEIGHT:

kg 6,7

ACCESSORIES:

A4461
Sistema di fissaggio a
terra/Fixing kit system

A4601
Kit sabbia essiccata/
Dried sand kit


fura table structure light

design Form Us With Love



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour



8295



KIT LUCE/LIGHT KIT

GROSS WEIGHT:

kg 6,7

A4744 kit LED RGB a batteria per interni/esterni bluetooth
bluetooth RGB LED light kit with battery indoor/outdoor

DETAILS:

Necessita di 1 Kit Luce/
Needs 1 Light Kit

fura table structure top

DETAILS:

Necessita di due
strutture per il piano/
Needs two structures for
the top
A4626
A4471

PIANO/TOP

.....



60



120



180

HPL

colore base/basic colour

.....

A4463



Cm 59x1 h

Kg 4,9


A4464



Cm 59x1 h

Kg 4,6


A4626



Cm 120x60x1 h

Kg 12,4

A4471



Cm 180x59x1,2 h

Kg 18,7

TESTS (ART. 6295)

.....
Declaration of conformity issued by **CATAS**
with the 180x60 cm top

Conforms to the requirements of resistance,
durability and safety, 2nd level EN 15372:2016

Tests carried out as per:

EN 15372:2016, clause 6
EN 15372:2016, clause 5.1 - 5.2
EN 1730:2012, clause 6.2
EN 1730:2012, clause 6.3
EN 1730:2012, clause 6.4.2
EN 1730:2012, clause 6.5
EN 1730:2012, clause 6.6
EN 1730:2012, clause 7.2

Attention to ensure stability under a vertical
pressure, the part must be stabilized according
to point 7.2 of EN 1730:2012.
To do this, inert material (es. dried sand)
must be poured into the hole at the bottom of
the base. The amount of the material will vary
according to the article:

art. A4626 120x60 cm - kg 26
art. A4471 180x60 cm - kg 20

Finally, close the hole by screwing the threaded
cap back on.